

Children's Hospital of Eastern Ontario

MASTER FORMULA SHEET – NON-STERILE MANUFACTURING

PRODUCT: MAGIC MOUTHWASH (Lidocaine/Diphenhydramine/Aluminium hydroxide)

Date Prepared: _____

FINAL PRODUCT CHECKED BY: _____

EXPIRY DATE: _____

| INGREDIENTS | MANUFACTURER | LOT # | MAN. EXPIRY DATE | FORMULA QUANTITY | QUANTITY USED | MFG BY | CHK BY |
|------------------------------------------------------------|--------------|-------|------------------|------------------|---------------|--------|--------|
| Lidocaine Viscous 2% | | | | 40 mL | | | |
| Diphenhydramine (Benadryl®) 2.5 mg/mL elixir | | | | 8 mL | | | |
| Aluminium Hydroxide oral suspension (Maalox® or Amphojel®) | | | | 472 mL | | | |

EQUIPMENT

- Graduated Cylinder

MANUFACTURING DIRECTIONS

1. Measure all 3 ingredients using a graduated cylinder.
2. Mix all 3 ingredients.

SAMPLE LABEL

MAGIC MOUTHWASH (Lidocaine/Diphenhydramine/Aluminium Hydroxide)

Shake Well. Refrigerate.

Date Prepared: _____

Date Expired: _____

STABILITY

90 days in fridge.

REFERENCE(S)

- Dodd MJ et al. Randomized clinical trial of the effectiveness of 3 commonly used mouthwashes to treat chemotherapy-induced mucositis. Oral Surg Med Oral Pathol Oral Radiol Endod 2000; 90: 39-47

Master Sheet Revision Dates: 16 Nov 06

Final Approval By: AP/CM

The non-sterile manufacturing formulas are provided for informational purposes for qualified health care professionals. The hospital will not assume responsibility for the continued currency of the information, any errors or omissions, and/or any consequences arising from the use of the information outside of CHEO.